



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/647,019	08/22/2003	Peter Marx	5029-42DIV	1432
7590 08/02/2004				
Thomas C. Pontani, Esq. Cohen, Pontani, Lieberman & Pavane 551 Fifth Avenue, Suite 1210 New York, NY 10176				
		EXAMINER KRISHNAMURTHY, RAMESH		
		ART UNIT 3753 PAPER NUMBER		

DATE MAILED: 08/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/647,019

Applicant(s)

MARX ET AL.

Examiner

Ramesh Krishnamurthy

Art Unit

3753

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 24 May 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 7 - 13 and 15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 10, 11, 13 and 15 is/are allowed.
- 6) ☒ Claim(s) 7 - 9 and 12 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☒ Certified copies of the priority documents have been received in Application No. 09/885,199.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

Art Unit: 3753

This office action is responsive to amendment filed 05/24/2004.

**Claims 7 – 13 and 15 are pending.**

The applicant is reminded to update the status of parent application(s) referred to on page 1 of the specification.

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 7 – 9 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over McMath (US 3,734,115).

McMath discloses a valve comprising:

A housing having a valve seat (36);

A closing part (38) movable against said valve seat;

A spring (58) arranged in said housing

Art Unit: 3753

for pre-stressing said closing part relative to said valve seat, said spring having smaller dimensions than said closing part;

and

latching means (40) arranged on said housing for gripping said closing part from behind, said latching means having a bearing region (near (54,56)), wherein said spring is arranged for pre-stressing said closing part against said bearing region.

Regarding claim 8, said latching means comprise hook-shaped elements (54, 56).

Regarding Claim 9, a side of said latching means facing said closing part comprises guide edges (46, 48) for said closing part.

Regarding claim 12, it is noted that the valve further comprises a plurality of latching means distributed around a circumference of said closing part.

It is noted that the limitation "for a fuel delivery unit" in claim 7 has not been given any patentable weight in this office action as it is reflective of intended use only.

It is noted that the latching means (40) is securely disposed in the valve housing and includes the valve seat and the entire arrangement is disclosed as being used as a single unit i.e. one-piece. It is noted that the courts have held that the use of a one-piece construction instead of the structure of the prior art that comprised several parts rigidly secured together as a single unit would be merely a matter of obvious engineering choice. See *In re Larson*, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965). In this instance making a one-piece construction would have been obvious to

Art Unit: 3753

one of ordinary skill in the art at the time the invention was made since it would allow for replacement of the entire valve as one unit.

4. Claims 10, 11, 13 and 15 are allowed.

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

#### ***Response to Arguments***

6. Applicant's arguments filed 05/24/04 have been fully considered but they are not persuasive. Applicant is essentially arguing that McMath fails to disclose a one-piece construction as claimed. In response Examiner has cited the relevant court opinion that clearly sets forth such a construction to involve an obvious engineering choice over the prior art construction.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramesh Krishnamurthy whose telephone number is


Art Unit: 3753

(703) 305 - 5295. The examiner can normally be reached on Monday - Friday from 8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Scherbel, can be reached on (703) 308 - 1272. The fax phone number for the organization where this application or proceeding is assigned is (703) 872 - 9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 - 0861.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Ramesh Krishnamurthy, Ph.D., PE  
Primary Examiner  
Art Unit 3753